

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1602	716/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:25
L1	574	716/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 15:11
S16 7	801	716/11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 17:54
S16 5	1	(match\$3 same electric\$2 same characteristic same (element cell component block macro) same (uniform\$3 evenly) same distribut\$3 same (element near4 (dummy filler))same unit adj2 cell ). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 17:27
S16 4	0	(match\$3 same electric\$2 same characteristic same (element cell component block macro) same (C capacitance ) and reference same ratio and array and (dummy filler) adj2 cell and (uniform\$2 even\$2) near4 distribut\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 17:21
S16 3	2	match\$3 same electric\$2 same characteristic same (element cell component block macro) same (C capacitance ) and reference same ratio and array and (dummy filler) adj2 cell and (uniform\$2 even\$2) near4 distribut\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 17:20
S16 2	2	match\$3 same electric\$2 same characteristic same (element cell component block macro) same (C capacitance ) and reference same ratio and array and (dummy filler) adj2 cell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 17:17

## EAST Search History

S16 0	2155	716/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 16:33
----------	------	-------------	-------------------------------------------------------------------	----	----	------------------